

35 Scotland Boulevard • Bridgewater, MA 02324 • 508-697-5100 • Fax 508-697-7140 • www.fibertecinc.com

# Safety Data Sheet

### Section 1 - Chemical Product and Company Identification

Product Name(s): Microglass S-2

Product Use: Filler for the plastics industry

Health and Technical Contacts:

Health Issues Information (8am-4pm ET): 508-697-5100 Technical Product Information (8am-4pm ET): 508-697-5100

### Manufacturer: Fibertec Inc. 35 Scotland Boulevard Bridgewater, MA 02324 U.S.A.

### **Emergency Contacts:**

(8am-4pm ET): 508-697-5100 Emergencies ONLY (after 4pm ET and weekends) CHEMTREC (24 hours every day): 1-800-424-9300

## Section 2 – Hazards Identification

GHS Classification: (per 29CFR1910.1200, App. A)

Skin Irritation (Category 2) Eye Irritation (Category 2B) SPECIFIC Target Organ Toxicity – Single Exposure (Category 3)

**GHS Label Elements:** 

Pictogram:



Signal Word: Warning

Hazard Statements: H315

H335

Causes skin irritation Causes eye irritation May cause respiratory irritation

### Section 2 – Hazards Identification (continued)

### **Precautionary Statements:**

-	P261	Avoid breathing dust
	P271	Use only outdoors or in a well ventilated area.
	P264	Wash hands and other affected areas thoroughly after handling.
	P280	Wear protective gloves, clothing and eye protection.
	P304+P340+P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
		comfortable for breathing. Call POISON CENTER or physician if you feel unwell.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
	P332+P337+P313	If skin or eye irritation occurs get medical attention.
	P362	Take off contaminated clothing and wash before reuse.
	P403+P233	Store in well-ventilated place. Keep container tightly closed.
	P501	Dispose of contents in accordance with applicable regulations.

### Section 3 – Composition / Information on Ingredients

CAS #	Component	Weight %
65997-17-3	Man Made Glass Fiber	>98 %
None Assigned	Sizing (Products with "U" designation not applicable)	< 0.3 %

**Chemical Name or composition:** Fibrous glass (composition consisting principally of oxides of silicon, calcium, aluminum, magnesium and boron fused in an amorphous vitreous state)

### NFPA Unusual Hazards: None

### **Component Related Regulatory Information**

This product may be regulated, have exposure limits or other information identified as the following: glass wool fiber, fibrous glass and nuisance particulates.

#### **Component Information/Information on Non-Hazardous Components**

No additional information available.

### Section 4 – First Aid Measures

Inhalation: If inhaled, move the affected person to fresh air. If irritation persists get medical attention.

Skin Contact: For skin contact, wash with mild soap and cold water.

Never use compressed air to remove fibers from the skin. If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin.

**Eye Contact:** Immediately flush eyes with plenty of running water for at least 15 minutes. If irritation persists get medical attention.

**Ingestion:** Ingestion of this material is unlikely. If it does occur, watch the person for several days to make sure that partial or complete intestinal obstruction does not occur. Do not induce vomiting unless directed to do so by medical personnel. Seek medical attention if irritation persists.

### Section 5 – Fire Fighting Measures

Flash Point:NoneUpper Flammability Limit:NoneFlammability Classification:Non-flammable

Flash Point Method: Not determined Lower Flammability Limit: None

Extinguishing Media: Dry chemical, foam, carbon dioxide, and water fog.

Unusual Fire & Explosion Hazards: None known.

**Fire-Fighting Instructions:** Use self-contained breathing apparatus (SCBA) and full bunker turnout gear in a sustained fire.

**Hazardous Combustion Products:** Primary combustion products are carbon monoxide, hydrogen, carbon dioxide, ammonia and water. Other undetermined compounds could be released in small quantities.

### Section 6 – Accidental Release Measures

**Containment Procedures:** This material will settle out of air. If concentrated on land, it can then be scooped up for disposal as non-hazardous waste. This material will sink and disperse along the bottom of waterways and ponds. It cannot easily be removed after it is waterborne; however, the material is non-hazardous in water.

**Clean-Up Procedures:** Scoop up material and put into a suitable container for disposal as a non-hazardous waste. Do not use compressed air for cleaning.

**Response Procedures:** Isolate area. Keep unnecessary personnel away.

Special Procedures: None.

### Section 7 – Handling and Storage

**Handling Procedures:** Keep product in its packaging, as long as practicable to minimize potential dust generation. Keep work areas clean. Avoid unnecessary handling of scrap materials. Wear PPE as described in Section 8.

Storage Procedures: No special procedures.

### Section 8 – Exposure Controls / Personal Protection

### **Exposure Guidelines:**

A: General Product Information Follow all applicable exposure limits.

#### **B: Exposure Limits**

#### Fiber Glass (crushed/shredded continuous filament) (65997-17-3)

CAS # 65997-17-3	OSHA PEL 8 Hr TWA	ACGIH TLV (8-hr TWA)
Non Respirable fiber and particulate	15 mg/m <sup>3</sup>	5 mg/M <sup>3</sup>
Respirable particulate	5 mg/m³	None Established

**Ventilation:** There is a possibility of high particulate exposure levels when working with this product. At a minimum, local exhaust and/or general dilution ventilation should be provided as necessary to maintain exposures below regulatory and recommended limits. Dust collection systems must be used in transferring operations, cutting or machining or other dust generating processes because of anticipated dust levels. Vacuum or wet-clean up methods should be used.

### PERSONAL PROTECTIVE EQUIPMENT

**Respiratory Protection:** A properly fitted NIOSH approved N 95 series disposable dust respirator such as the 3M model 8210 (model 8271 in high humidity environments) or equivalent must be worn when using this material. Because of the possibility of high particulate levels occurring with this product, it may be necessary to use a half face respirator with P100 or HEPA filters during operations such as maintenance, clean up, or transferring. This decision should be made on a case-by-case basis depending on total exposures. Use respiratory protection in accordance with your company's respiratory protection program, local regulations and OSHA regulations under 29 CFR 1910.134.

**Skin Protection:** Normal work clothing (long sleeved shirts and long pants) is recommended. Use gloves. Skin irritation is known to occur chiefly at the pressure points such as around the neck, wrists, waist and between the fingers.

Where direct contact or handling causes airborne product, the use of gloves and coveralls is recommended.

Eyes/Face Protective Equipment: Wear safety glasses, goggles or face shield.

# Section 9 – Physical & Chemical Properties

Appearance:	White to grey powder	Odor	None
Physical State:	Solid	Ph	Not Applicable
Vapor pressure	Not Applicable	Vapor Density	Not Applicable
(mm)hg@20c:		Air = 1	
Boiling point:	Not Applicable	Solubility	Insoluble
Specific Gravity H2O = 1:	2.55 – 2.58	Freezing Point	Not Applicable
Evaporation Rate	Not Applicable	Melting point	> 800 C
(n-Butyl Acetate = 1):			
VOC:	< .04 %	Viscosity	Not Applicable

Physical Properties: Additional Information No additional information available.

# Section 10 – Chemical Stability & Reactivity Information

Stability:	This is a stable material.
Conditions to Avoid:	None known.
Incompatible Materials:	None known.
Hazardous Decomposition Products:	None, except in fire. See section 5 for combustion products statement.
Hazardous Polymerization:	Will not occur

### Section 11 – Toxicological Information

### Acute Effects:

**General Product Information** Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. People with pre-existing respiratory conditions, may experience difficulty breathing, congestion and chest tightness.

### Carcinogenicity:

### Fiber Glass Continuous Filament:

The International Agency for Research on Cancer (IARC) in June 1987, categorized fiberglass continuous filament as not classifiable with respect to human carcinogenicity (Group 3). The evidence from human as well as animal studies was evaluated by IARC as insufficient to classify fiberglass continuous filament as a possible, probable, or confirmed cancer causing material. This conclusion was confirmed by IARC in October 2001.

The American Conference of Governmental Industrial Hygienists (ACGIH) A4 classification, not classifiable as a human carcinogen, for Respirable continuous filament glass fibers is based on inadequate data in terms of its carcinogenicity in humans and/or animals.

For Respirable continuous filament glass fibers, a TLV-TWA of 1 fiber/cc was adopted to protect workers against mechanical irritation. The TLV-TWA of 5 mg/m3 was adopted for nonrespirable glass filament fiber, measured as inhalable dust, to prevent mechanical irritation of the upper respiratory tract.

### Note: There are no known chronic health effects connected with long term use or contact with these products.

Products that are chopped, crushed or severely mechanically processed during manufacture or use may contain a very small amount of Respirable glass fiber-like fragments. Persistent Respirable glass fibers are suspected to cause cancer. NIOSH defines "Respirable fibers " as greater than 5 microns in length and less than 3 microns in diameter with an aspect ratio of  $\geq$  5:1(length-to-width ratio).

### **Component Carcinogenicity**

### Fiber Glass (crushed/shredded continuous filament) (65997-17-3)

ACGIH: A4 – Not classifiable as a human carcinogen. IARC: Group 3 "not classifiable as to its carcinogenicity to humans" June 1987 meeting

### Section 12 – Ecological Information

No data available for this product. This product is not anticipated to harm animals, plants or fish.

### Section 13 – Disposal Considerations

#### **EPA Waste Number & Descriptions:**

#### **A: General Product Information**

Material, if discarded, is not expected to be a characteristic hazardous waste under RCRA.

### **B: Component Waste Numbers**

No EPA Waste Numbers are applicable for this product's components.

### **Disposal Instructions:**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

### Section 14 – Transportation Information

#### **US DOT Information**

Shipping Name: Not regulated for transport. Hazard Class: None UN/NA #: None Packing Group: None Required Label(s): None

### **TDG Information**

Shipping Name: Not regulated for transport. Hazard Class: None UN/NA #: None Packing Group: None Required Label(s): None Additional Info: None

#### **Additional Transportation Regulations:**

No additional information available.

### Section 15 – Regulatory Information

### **A: General Product Information**

No additional information available.

### **B: Component Analysis**

No additional information available.

The following is provided to aide in the preparation of SARA 311 and 312 reports.

### SARA 311/312 Acute Health Hazard: Yes Chronic Health Hazard: No Fire Hazard: No Sudden Release of Pressure Hazard: No Reactive Hazard: No

### C: Clean Air Act

The following components appear on the Clean Air Act-1990 Hazardous Air Pollutants List: **None** 

### State Regulations:

### **A: General Product Information**

No additional information available

### **B: Component Analysis – State**

The following components appear on one or more of the following state hazardous substances lists:

Fiberglass (as continuous filament)	CAS # 65997-17-3	CA	FL	MA	MN	NJ	PA
		No	No	No	No	No	No

### Other Regulations:

### **A: General Product Information**

No additional information available.

### **B: Component Analysis – Inventory**

Component	CAS #	TSCA	DSL	New Zealand	Aus	Miti Japan	EINECS
Fiber Glass (continuous Filament)	65997-17-3	Yes	Yes	Yes	Yes	No	Yes

### C: Component Analysis – WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

None

### WHMIS Status: Not controlled WHMIS

Classification: None

### Section 16 – Other Information

Reasonable care has been taken in the preparation of this information, the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. Final determination of the suitability of the material for the use contemplated is the sole responsibility of the user. No warranty is expressed or implied, and the manufacturer's sole responsibility shall be to replace such quantity of the material proven to be defective.

### **Revision Summary:**

This is a revised SDS, which replaces Microglass S-2 dated 4/16/04 with updated GHS format. Read this information carefully.

Rev 1	16 April 2004	Original
Rev 2	4 April 2015	Revised and updated format
Rev 2	11 April 2018	Reviewed